

QPS Evaluation Services Inc



- (1) NOTIFICATION OF CONFORMITY TO TYPE BASED ON QUALITY ASSURANCE OF THE PRODUCTION PROCESS
- (2) Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

(3) Notification Number: QPS 24ATEXQ5001 Issue Number: 0

(4) Products: OPIS 35 monochromatic IR laser for use with HyperFlux PRO Plus 785 Raman (HFPP) or

the Process Guardian

(5) Manufacturer: Tornado Spectral Systems Inc.

5155 Spectrum Way, Unit# 6

Address: Mississauga, ON

L4W 5A1 Canada

- (6) Additional Manufacturing location(s):
- QPS Evaluation Services Inc. 81 Kelfield St., Units 7-9, Toronto, ON M9W 5A3, Canada, Notified Body Number 2900, in accordance with Article 17 and Article 21 of the Council Directive 2014/34/EU of 26 February 2014 notifies to the applicant that the manufacturer has a production quality system which complies with Module D, Annex IV of the Directive. This quality system in compliance with Module D, Annex IV of the Directive also meets the requirements of Module E, Annex VII.

This notification is based on the confidential audit report no.: QAX3332-1

(8) issued on: 2024-03-11

Results of periodical assessments of the quality system are a part of this notification.

(10) This notification is valid until 2027-03-11

This notification can be withdrawn if the manufacturer no longer satisfies the requirements of Module D, Annex IV resp. Module E, Annex VII of the Directive. Results of periodical assessments of the quality system are a part of this notification.

(11) According to Article 16 (3) of the 2014/34/EU the CE mark shall be followed by the identification Number 2900 identifying the notified body involved in the production control phase. This notification may only be reproduced in this entirety and without any change. (It is possible for the Notified Body to give permission for use of parts of the document)

Date of Notification: 19 March 2024

Kob Kohul-

Rob Kohuch

Certification Manager

QPS Evaluation Services Inc.



QAN without signature shall not be valid. The QAN may be circulated only without alteration. Extracts or alterations are subject to approval by QPS Evaluation Service Inc. The SCC Accreditation Symbol is an official symbol of the accreditation body and notifying authority, used under license.